




/ WALL AND CEILING LIGHTING

ANTIDARK

*/ Defy darkness
/ Embrace light*



ANTIDARK is a Danish lighting company that has designed lamps for over 30 years. Every ANTIDARK design is made with great love for light, functional quality and modern Scandinavian design.

ANTIDARK er et dansk belysningsfirma, der har designet lamper i mere end 30 år. Alle ANTIDARK designs er skabt med kærlighed til lyset, teknisk kvalitet og moderne Skandinavisk design.


ANTIDARK



/ MOON

The Moon series – a perfect circle of dimmable soft light. Use as gentle illumination or as a stunning wall decoration.

Moon serien – en perfekt cirkel af dæmpbart blødt lys. Anvend som behagelig loftsbelysning eller som en iøjnefaldende vægdekoration.



/ MOON



Moon C160	● ○	Moon C260	● ○	Moon C450	● ○
------------------	-----	------------------	-----	------------------	-----

Ø: 16 cm H: 6 cm		Ø: 26 cm H: 8 cm		Ø: 45 cm H: 8 cm	
---------------------	--	---------------------	--	---------------------	--


Moon C600	● ○
------------------	-----

Ø: 60 cm H: 8 cm	*See technical pages in the back for more information
---------------------	--



Moon


/ MOON



/ WALL AND CEILING LIGHTING



/ SPOTON CIRCLE



/ WALL AND CEILING LIGHTING




NEWS: Gold insert option
NYHED: Mulighed for guld frontring



SpotOn Circle 3

*See technical pages in the back for more information

/ SPOTON CIRCLE



SpotOn Circle 1



H: 12,5 cm
Ø: 8,2 cm

SpotOn Circle 2



H: 12,5 cm
Ø: 20 cm

SpotOn Circle 3



H: 12,5 cm
Ø: 25 cm


/ WALL AND CEILING LIGHTING



SpotOn 3


*See technical pages in the back for more information

/ SPOTON



SpotOn 1		SpotOn 2		SpotOn 3	
H: 13 cm L: 11 cm W: 9 cm		H: 13 cm L: 30,5 cm W: 9 cm		H: 13 cm L: 48 cm W: 9 cm	

/ EASY



Love is not consolation. It is light.

Simone Weil, French Philosopher



Easy W2100



Easy W75

Ø: 7,5 cm
H: 9,5 cm



Easy W100

Ø: 10 cm
H: 10,5 cm



Easy W275

H: 9 cm
L: 16 cm



Easy W2100

H: 10,5 cm
L: 21 cm



Easy W3100

H: 10,3
L: 32,4 cm

*See technical pages in the back for more information



/ EASY



Easy W75

Ø: 7,5 cm
H: 9,5 cm



Easy W100

Ø: 10 cm
H: 10,5 cm



Easy W275

H: 9 cm
L: 16 cm



Easy W2100

H: 10,5 cm
L: 21 cm



Easy W3100

H: 10,3 cm
L: 32,4 cm



Easy W4100

H: 10,3 cm
L: 21,2 cm

*See technical pages in the back for more information



Easy Lens



Easy Lens




Ø: 12 cm
H: 8 cm




Easy B75

*See technical pages in the back for more information



Easy B75

Ø: 7.5 cm
H: 5.5 cm



Easy B100



Ø: 10 cm
H: 6 cm



*Don't be afraid of the dark.
Shine!*

Vera Nazarian, Armenian-American Author


/ WALL AND CEILING LIGHTING



Dot W120

Ø: 12 cm
D: 8 cm


/ DOT



/ WALL AND CEILING LIGHTING



/ FLEX WALL



Flex Wall ☒ ☐


H: 8 cm
L: 31 cm

/ WALL AND CEILING LIGHTING



*See technical pages in the back for more information

/ CIRCLE WALL



Circle Wall



Ø: 15 cm
D: 11 cm



/ WALL AND CEILING LIGHTING



Tube ceiling

*See technical pages in the back for more information

/ TUBE + SQUARE



TUBE CEILING



CEILING SQUARE



H: 9,3 cm
Ø: 8,5 cm

H: 9,3 cm
B: 8,5 cm

ANTIDARK

/ OVERVIEW


/ OVERVIEW



MOON

2-512-05-1	MOON C160 White/hvid	2-512-07-1	MOON C450 White/hvid
2-512-05-2	MOON C160 Black/sort	2-512-07-2	MOON C450 Black/sort
	12W LED. Dimmable/dæmpbar		29W LED. Dimmable/dæmpbar
	2700K. 930lm. CRI90+. 35.000h. IP20.		2700K. 2745lm. CRI90+. 35.000h. IP20.
	Ø:16cm. H:6cm.		Ø:45cm. H:8cm.
	5 year warranty		5 year warranty
2-512-01-1	MOON C160 White/hvid	2-512-04-1	MOON C450 White/hvid
2-512-01-2	MOON C160 Black/sort	2-512-04-2	MOON C450 Black/sort
	12W LED. Dimmable/dæmpbar		29W LED. Dimmable/ Dæmpbar
	3000K. 930lm. CRI90+. 35.000h. IP20.		3000K. 2745lm. CRI90+. 35.000h. IP20.
	Ø:16cm. H:6cm.		Ø:45cm. H:8cm.
	5 year warranty		5 year warranty
2-512-06-1	MOON C260 White/hvid	2-512-03-1	MOON C600 White/hvid
2-512-06-2	MOON C260 Black/sort	2-512-03-2	MOON C600 Black/sort
	15W LED. Dimmable/dæmpbar		43W LED. Dimmable/ Dæmpbar
	2700K. 1205lm. CRI90+. 35.000h. IP20.		3000K. 3809lm. CRI90+. 35.000h. IP20.
	Ø:26cm. H:8cm.		Ø:60cm. H:8cm.
	5 year warranty		5 year warranty
2-512-02-1	MOON C260 White/hvid	8-512-00-1	MOON Wire kit White/hvid
2-512-02-2	MOON C260 Black/sort	8-512-00-4	MOON Wire kit Black/sort
	15W LED. Dimmable/dæmpbar		Suspension wirekit / wiresæt til loftophæng
	3000K. 1205lm. CRI90+. 35.000h. IP20.		
	Ø:26cm. H:8cm.		
	5 year warranty		


/ MOON + EASY SINGLE



EASY SINGLE SPOT

2-215-08-1	EASY W75 White/hvid	2-215-05-1	EASY W100 White/hvid
2-215-08-2	EASY W75 Black/sort	2-215-05-2	EASY W100 Black/sort
	7W. Dimmable/dæmpbar		10W. Dimmable/dæmpbar
	2700K. 477lm. BA32°. CRI90+		2700K. 643lm. BA32°. CRI90+
	35.000h. IP20. Ø:7.5cm. H:9.5cm.		35.000h. IP20. Ø:10cm. H:10.5cm.
	5 year warranty		5 year warranty
2-215-08-10	EASY W75 White/hvid w/hole	2-215-05-10	EASY W100 White/hvid W/hole
2-215-08-20	EASY W75 Black/sort w/hole	2-215-05-20	EASY W100 Black w/hole
	7W. Dimmable/dæmpbar		10W. Dimmable/dæmpbar
	2700K. 477lm. BA32°. CRI90+		2700K. 643lm. BA32°. CRI90+
	35.000h. IP20. Ø:7.5cm. H:9.5cm.		35.000h. IP20. Ø:10cm. H:10.5cm.
	With wire hole cutout/med ledningshul		With wire hole cutout/ med ledningshul
	5 year warranty		5 year warranty
2-215-03-1	EASY B75 White/hvid	2-215-07-1	EASY W100 HP White
	7W. Dimmable/dæmpbar	2-215-07-2	EASY W100 HP Black
	2700K. 477lm. BA32°. CRI90+. 35.000h.		18W. Dimmable/dæmpbar
	IP20. Ø:7.5cm. H:5.5cm. Cut out Ø:6.8cm.		2700K. 1250lm. BA32°. CRI90+
	5 year warranty		35.000h. IP20. Ø:10cm. H: 10.5cm.
			5 year warranty
		2-215-04-1	EASY B100 White/hvid
			10W. Dimmable/dæmpbar
			2700K. 643lm. BA32°. CRI90+. 35.000h.
			IP20. Ø:10cm. H:6cm. Cutout Ø:9cm.
			5 year warranty

/ OVERVIEW




EASY DOUBLE SPOTS

2-215-10-1	EASY W275 White/hvid
2-215-10-2	EASY W275 Black/sort
	2X7W. Dimmable/dæmpbar
	2700K. 477lm X2. BA32°. CRI90+
	35.000h. IP20. Ø:7.5cm X2. H:9cm. L:16cm.
	5 year warranty

2-215-10-10	EASY W275 White/hvid W/hole
2-215-10-20	EASY W275 Black/sort W/hole
	2X7W. Dimmable/dæmpbar
	2700K. 477lm X2. BA32°. CRI90+
	35.000h. IP20. Ø:7.5cm X2. H:9cm. L:16cm.
	5 year warranty

2-215-09-1 EASY W2100 | White/hvid
2-215-09-2 EASY W2100 | Black/sort
 2X10W. Dimmable/dæmpbar
 2700K. 643lm X2. BA32°. CRI90+
 35.000h. IP20. Ø:10cm X2. H:10.5cm. L:21cm.
 5 year warranty

2-215-09-10 EASY W2100 | White/hvid | W/hole
2-215-09-20 EASY W2100 | Black/sort | W/hole
 2X10W. Dimmable/dæmpbar
 2700K. 643lm X2. BA32°
 CRI90+. 35.000h. IP20. Ø:10cm X2.
 H:10.5cm. L:21cm.
 5 year warranty



EASY W3100 + W4100

2-215-11-1 EASY W3100 | White/hvid
2-215-11-2 EASY W3100 | Black/sort
 3X10W. Dimmable/dæmpbar
 2700K. 643lm X3. BA32°. CRI90+.35.000h.
 IP20. Ø:10cm X3.
 H:10.3cm. L:32.4cm.
 5 year warranty

2-215-11-10 EASY W3100 | White/hvid | W/hole
2-215-11-20 EASY W3100 | Black/sort | W/hole
 3X10W. Dimmable/dæmpbar
 2700K. 643lm X3. BA32°. CRI90+.35.000h.
 IP20. Ø:10cm X3.
 H: 10.3cm. L:32.4cm.
 5 year warranty

2-215-12-1 EASY W4100 | White/hvid
2-215-12-10 EASY W4100 | White/hvid | w/hole
 4X10W. Dimmable/dæmpbar
 2700K. 643lm X4. BA32°. CRI90+. 35.000h.
 IP20. Ø:10cm X4. H:10.3cm. L:21.2cm.
 5 year warranty



EASY LENS


2-215-26-1 EASY W100 HP | White/hvid
13W. 3000K. 1356lm.
BA38°. CRI90+. 35.000h.
IP20. Ø:12cm. H:8cm.

2-215-27-1 EASY W100 HP | White/hvid DTW
2-215-27-2 EASY W100 HP | Black/sort DTW
 12W. Dim To Warm(1800-3000K)
 1356lm. BA38°. CRI90+. 35.000h.
 IP20. Ø:12cm. H:8cm.
 5 year warranty



DOT

2-216-01-1 DOT W120 | White-black/hvid-sort
2-216-01-1-1 DOT W120 | White-white/hvid-hvid
2-216-01-2 DOT W120 | Black/sort
 7W LED
 + 3W LED reading light. Dimmable touch switch
 + 3W LED læselys. Dæmpbar touch
 2700K. CRI80. 35.000h. IP20. Ø:12cm. D:8cm.
 5 year warranty



SPOTON

2-300-01-1	SpotOn1 White/hvid
2-300-01-2	SpotOn1 Black/sort
2-300-01-1-4	SpotOn1 White-gold/hvid-guld
2-300-01-2-4	SpotOn1 Black-gold/sort-guld
230V GU10. Max. 7.5W 360° vertical. 90° horizontal IP20 L:11cm. W:9cm. H:13cm Aluminium	
2-300-02-1	SpotOn2 White/hvid
2-300-02-2	SpotOn2 Black/sort
2-300-02-1-4	SpotOn2 White-gold/hvid-guld
2-300-02-2-4	SpotOn2 Black-gold/sort-guld
230V GU10. Max. 2x 7.5W 360° vertical. 90° horizontal IP20. L:30,5cm. W:9cm. H:13cm Aluminium	
2-300-03-1	SpotOn3 White/hvid
2-300-03-2	SpotOn3 Black/sort
2-300-03-1-4	SpotOn3 White-gold/hvid-guld
2-300-03-2-4	SpotOn3 Black-gold/sort-guld
230V GU10. Max. 3x 7.5W 360° vertical. 90° horizontal IP20. L:48cm. W:9cm. H:13cm Aluminium	



SPOTON CIRCLE

2-310-01-1	SpotOn Circle 1 White/hvid
2-310-01-2	SpotOn Circle 1 Black/sort
2-310-01-1-4	SpotOn Circle 1 White-gold/hvid-guld
2-310-01-2-4	SpotOn Circle 1 Black-gold/sort-guld
230V GU10. Max. 7.5W 360° vertical. 90° horizontal IP20 Ø:8,2cm. H:12,5cm Aluminium	
2-310-02-1	SpotOn Circle 2 White/hvid
2-310-02-2	SpotOn Circle 2 Black/sort
2-310-02-1-4	SpotOn Circle 2 White-gold/hvid-guld
2-310-02-2-4	SpotOn Circle 2 Black-gold/sort-guld
230V GU10. Max. 2x 7.5W 360° vertical. 90° horizontal IP20. Ø:20cm. H:12,5cm Aluminium	
2-310-03-1	SpotOn Circle 3 White/hvid
2-310-03-2	SpotOn Circle 3 Black/sort
2-310-03-1-4	SpotOn Circle 3 White-gold/hvid-guld
2-310-03-2-4	SpotOn Circle 3 Black-gold/sort-guld
230V GU10. Max. 3x 7.5W 360° vertical. 90° horizontal IP20. Ø:25cm. H:12,5cm Aluminium	

/ OVERVIEW



FLEX WALL LAMP

- 2-400-02-01

Flex | White/hvid
- 2-400-02-02

Flex | Black/sort
- 3W LED. 2700K | On/off switch/afbryder
- 230V, 207 lm, CRI90, IP20
- L:31cm. W:8cm. D:8cm



CIRCLE WALL

- 2-400-01-01

Circle Wall | White/hvid
- 2-400-01-02

Circle Wall | Black/sort
- 3W + 6W LED. 2700K | On/off switch/afbryder
- 230V, 486 lm, CRI90, IP20
- Ø:15cm. D:11cm



SQUARE CEILING

- 2-470-01-1

White/hvid
- 2-470-01-2

Black/sort
- 8.8W LED. Dimmable/dæmpbar
- 230V. 2700K. 851lm. BA33°. CRI90. 35.000h. IP20.
- W:8.5cm. D:8.5cm. H:9.3cm. Aluminium
- 5 year warranty





TUBE CEILING

- 2-450-01-1

White/hvid
- 2-450-01-2

Black/sort
- 8.75W LED. Dimmable/dæmpbar
- 230V. 2700K. 823.36lm. BA33°. CRI90.
- 35.000h. IP20. Ø:8.5cm. H:9.3cm. Aluminium
- 5 year warranty



Om os

ANTIDARKS KOLLEKTION ER KARAKTERISTISK, MINIMALISTISK OG TIDLØS

Vi brænder for at skabe belysning, der giver den helt rette stemning og det perfekte lys. Vi stræber efter at udvikle produkter, hvor design og kvalitet går op i en højere enhed.

Design er ikke blot godt design. Lys og lamper handler om mere end flot og æstetisk look. Vi designer belysning, som former det rum du befinder dig i, hvad enten det er ude eller inde, så det bliver smukt, behageligt, beroligende og afslappende at være i og samtidig fremhæver de øvrige elementer i rummet.

Lys er et af de vigtigste parametre. Det sætter dagsordenen for, hvordan rummet tager sig ud med hensyn til farver og stemning.

About us

THE ANTIDARK COLLECTION IS CHARACTERISTIC, MINIMALIST AND TIMELESS

We are passionate about creating lighting for the prefect atmosphere and illumination. We strive to develop products where design and quality come together.

Design is not just about good design. Lighting and lamps are about more than getting an attractive and aesthetic look. We design lighting that shapes the room or space you are in, whether you are indoors or outdoors, so that the room or space becomes an attractive, comfortable, soothing and relaxing place to be in, while at the same time emphasising all the other elements that are present.

Light is one of the most important parameters. It sets the agenda for how the room looks in terms of colours and atmosphere.

ANTIDARK

**Damgaardvej 2
5500 Middelfart
Denmark**

**+45 63 41 88 88
info@antidark.dk
www.antidark.dk**

ANTIDARK